	Application No.	Applicant(s)
Notice of Allowability	10/560,454	KOHLER ET AL.
	Examiner	Art Unit
	John B. Strege	2624
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to the application filed 12/14/05.		
2. The allowed claim(s) is/are <u>1-7</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☑ Nation of References Cited (RTO 802)	5 Motion of Information	Potent Application
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	 5. ☐ Notice of Informal F 6. ☒ Interview Summary 	, .
	_ Paper No./Mail Da	te <u>9/7/07</u> .
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 12/14/05 	7. 🛭 Examiner's Amend	
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. X Examiner's Stateme	ent of Reasons for Allowance
	9.	

Application/Control Number: 10/560,454 Page 2

Art Unit: 2624

Response to Amendment

1. The preliminary amendment filed 12/14/05 has been entered in full.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas M. Lundin Reg#48,979 on 9/07/07.

The application has been amended as follows:

In **claim 7**, replace "a computer program for a control unit" on line 1 with —a computer readable medium encoded with a computer program for a control unit--.

Also in claim 7, delete "the method claimed in claim 1" on line 3.

The changes were made to correct potential 101 problems.

Allowable Subject Matter

3. Claims 1-7 are allowed.

The following is an examiner's statement of reasons for allowance: None of the prior art discloses in combination with the other limitations of the claim a computer tomography method having the following steps: determination, with the help of redundant measured values, of a complementary measured value for each of at least some of the measured values that were acquired in step c) and that lie within a reconstruction window the rays associated with the given measured value and the

complementary measured value belonging to it being oriented in opposite directions to one another, replacement of each measured value for which a complementary measured value was determined in step d) by a sum comprising the measured value, having been weighted, and the complementary measured value, having been weighted, reconstruction of a CT image of the examination region from the measured values lying within the reconstruction window. Since all of these limitations are present in the independent claims they are all allowable for the same reason.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

USPN 6,327,326 Method for image reconstruction for a computed tomography apparatus.

USPN 4,707,822 Tomographic Apparatus.

USPN 6,233,478 Apparatus for comstructing computed tomography image slices of an object undergoing cyclic motion.

USPN 6,829,379 Methods and apparatus to assist and facilitate vessel analysis.

Art Unit: 2624

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John B. Strege whose telephone number is (571) 272-7457. The examiner can normally be reached on Monday-Friday between the hours of 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bhavesh Mehta can be reached on (571) 272-7453. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JS

BHAVESH M MEHTA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600